

Reference list - ADOCARE

Please find below a selection of recent publications on adolescent mental health that are relevant in context of ADOCARE:

- Ambresin, A. E., Bennett, K., Patton, G. C., Sancj, L. A., & Sawyer, S. M. (2013). Assessment of youth-friendly health care: a systematic review of indicators drawn from young people's perspectives. *Journal of Adolescent Health, 52*(6), 670-681. doi:10.1016/j.jadohealth.2012.12.014
- [Baltag, V., & Mathieson, A. \(2010\). Youth-friendly health policies and services in the European region: sharing experiences Copenhagen: WHO Regional Office for Europe.](#)
- Bielsa, V. C., Braddick, F., Jané-Llopis, E., Jenkins, R., & Dainius, P. (2012). Child and adolescent mental health policies, programmes and infrastructure across Europe. *International Journal of Mental Health Promotion, 12*(1), 1-10. doi:10.1080/14623730.2010.9721822
- Blum, R. W., Bastos, F. I. P. M., Kabiru, C., & Le, L. C. (2012). Adolescent health in the 21st century.
- Braddick, F., Carral, V., Jenkins, R., & Jané-Llopis, E. (2009). Child and adolescent mental health in Europe: infrastructures, policy and programmes. European Communities, Luxembourg.
- Bradshaw, C., Nguyen, A., Kane, J. C., & Bass, J. (2014). Mental health matters: social inclusion of youth with mental health conditions. New York, United Nations, Department of Economic and Social Affairs.
- Caan, W., & Jenkins, R. (2008). Integrating the promotion of child mental health into national policies for health sector reform. *Journal of Public Mental Health, 7*(1), 9-15.
- Carli, V., Hoven, C. W., Wasserman, C., Chiesa, F., Guffanti, G., Sarchiapone, M., et al. (2014). A newly identified group of adolescents at "invisible" risk for psychopathology and suicidal behavior: findings from the SEYLE study. *World Psychiatry, 13*(1), 78-86. doi:10.1002/wps.20088
- Catalano, R. F., Fagan, A. A., Gavin, L. E., Greenberg, M. T., Irwin, C. E., Ross, D. A., et al. (2012). Worldwide application of prevention science in adolescent health. *The Lancet, 379*(9826), 1653-1664. doi:10.1016/S0140-6736(12)60531-5
- De Girolamo, G., Dagani, J., Purcell, R., Cocchi, A., & McGorry, P. D. (2012). Age of onset of mental disorders and use of mental health services: needs, opportunities and obstacles. *Epidemiology and psychiatric sciences, 21*(01), 47-57. doi:10.1017/S2045796011000746
- Elwyn, G., Frosch, D., Thomson, R., Joseph-Williams, N., Lloyd, A., Kinnersley, P., et al. (2012). Shared decision making: a model for clinical practice. *Journal of General Internal Medicine, 27*(10), 1361-1367. doi:10.1007/s00787-004-0427-6
- [Fanjul, G. \(2014\). Children of the recession: the impact of the economic crisis on child well-being in rich countries UNICEF Innocenti Report Card.](#)
- Gaebel, W., Becker, T., Janssen, B., Munk-Jorgensen, P., Musalek, M., Rössler, W., et al. (2012). EPA guidance on the quality of mental health services. *European Psychiatry, 27*(2), 87-113. doi:10.1016/j.eurpsy.2011.12.001
- Gore, F. M., Bloem, P. J., Patton, G. C., Ferguson, J., Joseph, V., Coffey, C., et al. (2011). Global burden of disease in young people aged 10-24 years: a systematic analysis. *The Lancet, 377*(9783), 2093-2102. doi:10.1016/S0140-6736(11)60512-6
- Graham, T., Rose, D., Murray, J., Ashworth, M., & Tylee, A. (2014). User-generated quality standards for youth mental health in primary care: a participatory research design using mixed methods. *BMJ Quality & Safety, 23*(12), 1025-1030. doi:10.1136/bmjqs-2014-002842
- Gulliver, A., Griffiths, K. M., & Christensen, H. (2010). Perceived barriers and facilitators to mental health help-seeking in young people: a systematic review. *BMC psychiatry, 10*(1), 113.
- Hetrick, S. E., Parker, A. G., Callahan, P., & Purcell, R. (2010). Evidence mapping: illustrating an emerging methodology to improve evidence-based practice in youth mental health. *Journal of Evaluation in Clinical Practice, 16*(6), 1025-1030. doi:10.1111/j.1365-2753.2008.01112.x

- Hopkins, K., Crosland, P., Elliott, N., & Bewley, S. (2015). Diagnosis and management of depression in children and young people: summary of updated NICE guidance. *British Medical Journal*, 350, h824.
- [Joint Commissioning Panel for Mental Health. \(2015\). Guidance for commissioners of child and adolescent mental health services.](#)
- Kaess, M., Brunner, R., Parzer, P., Carli, V., Apter, A., Balazs, J. A., et al. (2014). Risk-behaviour screening for identifying adolescents with mental health problems in Europe. *European Child & Adolescent Psychiatry*, 23(7), 611-620. doi:10.1007/s00787-013-0490-y
- Kaltiala-Heino, M. S. R., Fröjd, S., Autio, V., Laukkanen, M. S. E., Närhi, M. S. P., & Rantanen, M. S. P. (2007). Transparent criteria for specialist level adolescent psychiatric care. *European Child & Adolescent Psychiatry*, 16(4), 260-270. doi:10.1007/s00787-006-0598-4
- McGorry, P. D., Goldstone, S. D., Parker, A. G., Rickwood, D. J., & Hickie I.B. (2014). Adolescent mental health 2. Cultures for mental health care of young people: an Australian blueprint for reform. *The Lancet*, 1, 559-568.
- Michaud, P. A., Berg-Kelly, K., Macfarlane, A., & Benaroyo, L. (2010). Ethics and adolescent care: an international perspective. *Current Opinion in Paediatrics*, 22(4), 418-422. doi:10.1097/MOP.0b013e32833b53ec
- [NHS England. \(2015\). Future in mind: Promoting, protecting and improving children and young people's mental health and wellbeing.](#)
- Nobile, M., Colombo, P., Bellina, M., Molteni, M., Simone, D., Nardocci, F., et al. (2013). Psychopathology and adversities from early-to late-adolescence: a general population follow-up study with the CBCL DSM-Oriented Scales. *Epidemiology and Psychiatric Sciences*, 22(01), 63-73. doi:10.1017/S204
- Olfson, M., Blanco, C., Wang, S., Laje, G., & Correll, C. U. (2014). National trends in the mental health care of children, adolescents, and adults by office-based physicians. *JAMA Psychiatry*, 71(1), 81-90. doi:10.1001/jamapsychiatry.2013.3074
- Patton, G. C., Coffey, C., Cappa, C., Currie, D., Riley, L., Gore, F., et al. (2012). Health of the world's adolescents: a synthesis of internationally comparable data. *The Lancet*, 379(9826), 1665-1675. doi:10.1016/S0140-6736(12)60203-7
- Patton, G. C., Coffey, C., Romaniuk, H., Mackinnon, A., Carlin, J. B., Degenhardt, L., et al. (2014). The prognosis of common mental disorders in adolescents: a 14-year prospective cohort study. *The Lancet*, 383(9926), 1404-1411. doi:10.1016/S0140-6736
- Paul, M., Street, C., Wheeler, N., & Singh, S. P. (2014). Transition to adult services for young people with mental health needs: a systematic review. *Clinical Child Psychology and Psychiatry*, 1-22. doi:10.1177/1359104514526603
- Puras, D., Kolaitis, G., & Tsiantis, J. (2010). Child and adolescent mental health in the enlarged European Union: overview of the CAMHEE project. *International Journal of Mental Health Promotion*, 12(4), 3-9. doi:10.1080/14623730.2010.9721821
- [Royal College of Psychiatrists. \(2013\). Building and sustaining specialist CAMHS to improve outcomes for children and young people London.](#)
- Sayal, K., Amarasinghe, M., Robotham, S., Coope, C., Ashworth, M., Day, C., et al. (2012). Quality standards for child and adolescent mental health in primary care. *BMC Family Practice*, 13(51).
- Singh, S. P., Paul, M., Ford, T., Kramer, T., Weaver, T., McLaren, S., et al. (2010). Process, outcome and experience of transition from child to adult mental healthcare: multiperspective study. *The British Journal of Psychiatry*, 197(4), 305-312. doi:10.1192/bjp.bp.109.075135
- [Singh, S. P., Paul, M., Islam, Z., Weaver, T., Kramer, T., McLaren, S., et al. \(2010\). Transition from CAMHS to adult mental health services \(TRACK\): a study of service organisation, policies, process and user and carer perspectives. Report for the National Institute for Health Research Service Delivery and Organisation Programme: London.](#)
- [The Economist Intelligence, & Kielstra, P. \(2014\). Mental health and integration. Provision for supporting people with mental illness: a comparison of 30 European countries UK: The Economist Intelligence Unit Limited.](#)
- Thornicroft, G., & Tansella, M. (2013). The balanced care model: the case for both hospital- and community-based mental healthcare. *The British Journal of Psychiatry*, 202, 246-248. doi:10.1192/bjp.bp.112.111377
- [UNICEF. \(2012\). In Progress for Children: A report card on Adolescents.](#)

Valentijn, P. P., Schepman, S. M., Opheij, W., & Bruijnzeels, M. A. (2013). Understanding integrated care: a comprehensive conceptual framework based on the integrative functions of primary care. *International Journal of Integrated care*, 13.

[WHO. \(2013\). Developing standards and accompanying elements of a standards-driven quality improvement initiative.](#)

[World Health Organization. \(2010\). mhGAP intervention guide for mental, neurological and substance use disorders in non-specialized health settings: mental health Gap Action Programme \(mhGAP\). Geneva: World Health Organisation.](#)

[World Health Organization. \(2012\). Making health services adolescent friendly. Developing national quality standards for adolescent friendly health services. Switzerland, Department of Maternal, Newborn, Child and Adolescent Health.](#)

[World Health Organization. \(2013\). Comprehensive mental health action plan 2013-2020. Geneva: Sixty-sixth World Health Assembly.](#)